GROWELOCAL Hawarra Native Garden Guide





Acknowledgements

A joint sustainability initiative by Wollongong, Shellharbour and Kiama Councils, assisted by the NSW Government through its Environmental Trust.

GROW LOCAL: Illawarra Native Garden Guide has been developed by Jedda Lemmon, Natural Resource Officer, Wollongong City Council; with review and advice from Gary Leonard, Leon Fuller, Vanessa John, Carl Glaister, Alison Mellor, Byron Robinson, Yvette Barrs, Uncle Reuben Brown, Peter Gill, Gaby Kirwood, Debby Downes, Paul Formosa, Damian Gibbins and Sue McGregor.

Photography

Photography by Jedda Lemmon, unless otherwise credited below:

Luigi Timpano: Tawny Frogmouths (cover); Kate's Photo Diary: Brisbane Laurel (cover and p24), Dampiera (p20), Native Broom (p26), Christmas Bush (p32), Snow in Summer and Willow Bottlebrush (p33); Charlie Dove: Green Catbird (p4); Barry Daniel: Leaf Beetle (p5); Tony Rodd: Coastal Saltbush (p6 and p25), Woollybutt (p10 and p37), Dune Fan Flower (p20), Grey Tussock Grass (p21), Weeping Grass (p23), Daisy Bush (p25), Sandpaper Fig (p33), Bangalay and Celery Wood (p34), Forest Oak (p35), Swamp Mahogany (p36), Coast Grey Box (p38), Wombat Berry (p41); www.danielhopper.com.au: Mulching (p9); Alison Mellor: Nest box (p14), Yellow Robin (p12), Illawarra Flame Tree (p16 and p35), Leo Revnolds: Sugar Glider (p14); Bethany Bell: Green and Golden Bell Frog (p13); Tony Marsh: Tussock Grass (p17); John Tann: Blue Flax-lily (p17 and p20); Black She-oak (p30), Brush Cherry and Brush Muttonwood (p31), Water Gum (p33), Pencil Cedar and Prickly Paperbark (p35); David Houston: Fairy Fan Flower (p21); Stuart Cohen: Gristle Fern (p21); Ilena Hach: Lobelia (p22); Suzette Hosken: Striped-Wallaby Grass (p24): Ian Sutton: Broad-leaved Hakea (p24); Brian Myers: Common Tea-tree (p25), Black Wattle (p30), Two Veined Hickory (p37), Old Man's Beard (p40); Doug Beckers: Toothed Daisy Bush (p27); Byron McGregor: Plum Pine (p35): Gary Leonard: Forest Redgum, Port Jackson Fig and Thin-leaved Stringybark (p38-39).

Design

Bettina Kaiser art+design Printed on Tudor, Australian 100% recycled paper

Copyright

© 2011 Wollongong City Council, Shellharbour City Council, Kiama Municipal Council and NSW Environmental Trust

ILLAWARRA BIODIVERSITY AND LOCAL FOOD STRATEGY FOR CLIMATE CHANGE







This project has been assisted by the New South Wales Government through its Environmental Trust





Why Grow Lo Plants? How to Use th Planning your Planting Zone Looking after Creating a Hal Garden Styles

This resource has been prepared with a companion guide, GROW LOCAL: Illawarra Edible Garden Guide. Together they provide a comprehensive introduction to sustainable gardening in our beautiful region.

ocal Native	Recommended Plants	19
	Ground Covers	20
this Guide 5	Shrubs	24
ur Garden 6	Small Trees	30
nes7	Trees	34
r your Garden 9	Large Trees	38
abitat Garden 11	Vines and Climbers	40
es 15	Resources	42

Why Grow Local Native Plants?

We live in a spectacular and unique part of Australia. The Illawarra is home to around 2500 species of native plants, which make up our beautiful natural areas and provide food and shelter for native birds and animals.

We all have the opportunity to make sure A Green Catbird loves our homes and lifestyles support the natural to feed on figs, and ecosystems that make our region so beautiful. fleshv fruits of other One very simple way we can do this is to use local native plants *Right: Passiflora* more local native plants in our urban and herbertiana, our local Native Passionfruit. ' rural gardens.



Many local native plants are great choices for landscaping, and they can be used for any style of garden. This guide will even help you find alternatives to some of the most popular exotic

plants in your garden!

You will find there are many benefits to choosing local native plants for your garden:

They are adapted to local conditions and often require less maintenance, care, water and chemical fertilisers than conventional exotic plants.

They look good and will thrive.

They attract native birds and help deter pest birds such as Common (Indian) Mynas.

You will be helping to provide a stepping stone for local native birds and other local native animals moving across the landscape.

You will be helping to reduce the threat of weeds to the Escarpment and bushland of the Coastal Plain.

Attracting local native birds and other local native animals is fun and educational.

How to Use this Guide

Many nurseries sell 'Australian native plants', but did you know that many come from interstate or other parts of New South Wales? This means they are not always well adapted to our local soil and climate conditions. and can sometimes even cause trouble by becoming weedy or hybridising with our local native plants.

Another thing to consider with non-local natives is they are often specially bred to produce big, showy flowers - lovely to look at perhaps, but not much use as a food source for birds with smaller beaks! Gardens dominated with these kinds of plants will attract only certain (often raucous) larger birds or pest species.

This Guide will help you find suitable local native plants for urban and rural gardens of the Illawarra. It is by no means an exhaustive list, but will provide an introduction to those local native plants which are most readily available.

in that area.



Note: The Guide is intended for use by residents of Wollongong, Shellharbour and Kiama Council areas. It is not designed to guide revegetation of natural areas such as Bushcare or Landcare sites or riparian zones. Planting in bushland areas should be guided by the naturally occurring suite of native species which occur



A leaf beetle tending her rosette of eags



Planning your Garden

Formal, cottage or more natural 'bush' style gardens can all be achieved using local native plants of the Illawarra. Whichever style you prefer, thoughtful planning will lead to the best results.

When planning a garden you should consider the following:

- The structure of the garden you are planning, and the form and height of the plants which will achieve this 'look'
- Flower colour
- Your location refer to Planting Zones in the next chapter for the plants which suit your conditions

Consider the specific design elements you might be trying to achieve, for example:

- Screening out a neighbours property
- Attracting native birds or other wildlife
- Shade
- Creating a hedge or border
- Complementing adjoining bushland
- Using native ground covers to reduce your lawn mowing

Also make sure you have thought about how your choice of plants will impact on power lines, easements, plumbing, solar access to your own and neighbouring properties, and property boundaries.

Planting Zones

Did you know that different soil types and geographical locations determine which plants struggle or thrive? To help you choose plants which are best suited to where you live, we have divided this guide into four 'zones'.

Coastal Frontline

The Coastal Frontline Zone is the area within 50 metres or so of the coast. Within this zone there are two main soil types. Most of the low-lying parts of the coast directly behind the beaches are dominated by sandy, free-draining soils.

Some of the headland areas along the coast, especially those south of Windang, have nutrient-rich volcanic soils. These areas support littoral rainforest plants that can cope with harsh coastal winds.

If your property is highly exposed to salt laden

winds you can consider vourself within the Coastal Frontline Zone.



Escarpment and Foothills

Coastal Plain

The Coastal Plain Zone is made up of the predominantly flat areas inbetween the Escarpment and the sea. Once this area was dominated by a tall canopy of Eucalypts. with rainforest species occurring in some of the more sheltered



locations and creeklines. For the purposes of this guide, the outlying hills, such as Mount Brown, Mount Drummond (Mangerton), and the Berkeley Hills are all considered part of the Coastal Plain. The Escarpment foothills are also suited to plants selected for this zone.

The Illawarra Escarpment scenically frames the Illawarra Coastal Plain from Stanwell Park in the north to the Shoalhaven River in the south. The Escarpment and Foothills Zone extends upslope from the foothills all the way to the top of the sandstone cliffs.



This is where you will find moist Eucalypt forests, and our spectacular local subtropical and warm temperate rainforests growing on quite different soils to those found closer to the coast.

The Illawarra Escarpment provides an important and continuous north – south corridor for local biodiversity. If you are lucky enough to live in this zone, you have a great opportunity to help protect this unique area from invasive plants and animals by using local native plants.

Plateau

The Plateau Zone includes the elevated flat lands west of the Escarpment cliffs. The Plateau supports very different plants to the rest of the region below the Escarpment. The mostly shallow, sandstone soils are where you will find shrubby woodlands which are common across the greater Sydney basin. The Plateau also supports more fertile areas of shale and volcanic soils, such as in the Helensburgh and Southern Highlands areas.



Looking after your Garden

Preparation

- Make sure you have your design finalised.
- 2 Remove weeds and mulch the area prior to planting.

Planting

- Dig a hole twice as wide and slightly deeper than the pot.
- $\mathbf{A}_{\mathbf{A}}$ Thoroughly wet the plant in the pot.
- **5.** If the soil is dry, fill the hole with water and allow it to drain before planting.
- 6. Place a slow release fertiliser for natives in the bottom of the hole (optional).
- Remove the plant from its pot and place the root ball in the hole. Ensure the top of the root ball is roughly level with ground level.
- Backfill the hole with topsoil. 8
- **Q** Firm down the soil, and thoroughly water in the plant.

Mulching

Mulching your garden looks great and helps to suppress weeds. Mulching also boosts the activity of soil micro-organisms and improves the water holding capacity of the soil. Take care not to use mulch that may contain weed seed. Mulch should be spread to a depth of 5cm, and topped up annually. Try to keep mulch away from plant stems to avoid the risk of fungal infection and insect attack.

Fertilising





Generally, local native plants do not require fertilising if you have chosen species that will thrive in your area. Mulch and leaf litter will help provide the nutrients they need. You can use fertiliser to help new plants become established, but make sure to choose one made specifically for native plants. Alternatively, just apply light, infrequent applications only.



Red Flowered Paperbark, Melaleuca hypericifolia

Pruning



Native plants can be pruned to create hedges, promote flowering, and to encourage particular forms. Pruning can also be undertaken to control growth, or to repair damage from wind or pests. It is best to prune after the plant has flowered. Always use sharp secateurs or a pruning saw, and always cut above a growth 'node' to promote branching.

Watering

Local native plants will naturally require watering, particularly while they become established. But after several months of good growth they should be able to cope without

Top: Woollybu for small bird habitat

regular watering. Your plants will be much flower. Below: Orange more resilient if they develop deeper roots Thorn, a great shrub in this way. It is best to give well spaced, thorough soakings especially in particularly

hot, dry or windy conditions.

Watering is always best done in the cooler part of the day, in the morning or evening. Light to moderate pruning can also reduce the demand for water during dry periods. Avoid regular, light watering as it encourages surface root growth.

When to Plant

In the Illawarra, you can plant throughout most of the year. It is best to avoid planting when the soils are at their coolest over July and August. Use this time of year to prepare your garden; make your plans, and undertake weed control or mulching.

Improving your Soil

Most soils can be improved by adding wellrotted organic matter such as animal manure, compost or leaf litter. Clay soils may also be improved by adding gypsum to improve the soil structure. Compost improves all types of soils!

Creating a Habitat Garden

Many very beautiful local species of birds, frogs, insects, and reptiles are struggling to find safe haven in our urban landscape. By using local native plants of the Illawarra, you will be taking a great step to improve the habitat features of your garden!

In order to create living spaces for our native fauna, the general principle is to maximise the diversity of plant species and habitat features in your garden. A variety of plant species means you are likely to have different things flowering and fruiting throughout the year to provide continuous food sources. Different forms of plants and landscape features provide lots of

places to shelter, nest and hide from predators. plants are:

Lizards can help to control snails, slugs and other garden pests.

Native birds will help compete with exotic pests such as the Common (Indian) Myna.

Small insectivorous birds which love dense shrubs can help control garden pests such as aphids, caterpillars and beetles.



Some of the many benefits of attracting local native fauna to your garden with local native

You can enjoy the relaxing benefits of sitting back and observing what comes and goes throughout your garden over the seasons.

Another bonus is that local native plants can also help attract pollinators, which can improve fruit set of other plants, even fruit and vegetables in your vegetable garden!

Creating Habitat for Birds

Below: Providing a mixture of grasses,

shrubs, and trees is

and attract native

shelter to nest.

the best way to feed

birds. Right: A Yellow

Robin finds enough

- Plant spikey shrubs or dense thickets to encourage small birds
 - Plant seed producing shrubs and grasses (e.g. Tea-tree, Tussock Grass, Kangaroo Grass) to feed seed eating birds
- Plant fleshy fruited plants (e.g. Lilly Pillies, Sandpaper Fig, Jasmine Morinda) to feed rainforest bird species
- Plant nectar producing plants (e.g. Banksia, Grevillea, Hakea) to feed honeyeaters
- Provide a complex garden structure: mixture of ground covers, grasses, shrubs, and trees to support a diversity of bird species
- Provide thick leaf litter, compost or mulch to promote insects for insectivorous birds such as Suberb Blue-wrens
- Provide fresh water for drinking and bathing

If you have problems with the Common (Indian) Myna, consider reducing your lawn area, removing exotic palms, and using more local native plants in your garden. Planting local natives encourages native birds and reduces the chances of Common (Indian) Mynas from establishing dominance in your garden.

Use local native plants, rather than hybrids such as cultivar Grevilleas. These large flowering plants often encourage the larger aggressive honeyeaters that can chase away smaller birds.

Avoid feeding birds. Many of the foods we

provide (bread, honey, fatty meat) are bad for birds. Providing a mixture of local native plant species is the best way you can feed and attract local native birds.

Learn about our local native birds in "Illawarra Birds: A Photo Guide". Available from Wollongong, Shellharbour and Kiama Councils.



Creating Habitat for Lizards

- Provide clusters of rocks in full sun for basking
- Provide hollow logs, boulders, leaf litter and bark for refuge from predators and a place to hibernate in winter
- Provide access to shallow water for drinking e.g. a shallow pot plant dish
- Avoid using chemicals and snails baits 63
- Plant local native ground covers to provide further shelter



for Frogs

- Place frog ponds in sunny locations with partial shade
- Avoid introducing fish to your pond, as most fish eat tadpoles
- Provide lots of leaf litter, or compost near the pond to attract insects for frogs to eat
- Provide gently sloping sides, rocks or submerged logs enable frogs to get in an out of the pond
- Provide shelter with native plants, rocks or logs for refuge from birds or cats

Creating Habitat

Read more in "Frogs of the Illawarra: Making your Garden Frog Friendly" Available from Wollongong Kiama and Shellharbour Councils



An old bath tub can be re-used to create great frog habitat. Below left: A Green and Golden Bell Frog basking in the sun.





Top: A Ringtail Possum finds a new home in a nest box. Below: Sugar Gliders are most active at night. attract, make sure your nest box is suited. See the resources section for more information.

Creating Habitat for Mammals

The main mammals you are likely to see in your Illawarra garden are Brushtail and Ringtail Possums. Because of the lack of tree hollows in urban gardens, possums are often attracted to roof cavities. Providing suitable nest box habitat can be a great alternative to possums in your roof. They also provide opportunities for birds or micro-bats to nest and shelter.

A range of animals are dependent on tree hollows for shelter and nesting; including some species of birds, and arboreal (tree living) mammals. Different animals are attracted to different sizes in nest boxes and entrance holes, so depending on what you are trying to Common (Indian) Mynas, Starlings and European bees may also be attracted to nest boxes. So keep a watchful eye on what is using your nest box. A hinged lid will help you to easily remove unwanted animals.

To promote native fauna there are also a few other things to consider:

- Keep cats indoors as much as possible and put three bells on their collar
- Do not not leave pet food out that will attract pest birds
- Keep your garden chemical free to maintain a high diversity of insect and bacterial life to promote food for birds and frogs, as well as promoting healthy soils
- Keep a compost bin in you garden to recycle your kitchen waste – insects attracted to the compost are great food for native birds and frogs

Above all, using local native plants will provide the perfect habitat for local native fauna!

Garden Styles

People often think of native gardens being 'natural bush style' or informal gardens. However, native plants can also be planted or pruned in ways to keep a more formal or cottage style garden.

Some examples of local gardens using local species are shown to the right.

Low growing shrubs such as White Correa (1), and Coastal Rosemary (2) are tidy, low maintenance plants for an open garden.











Low Maintenance Tussock forming plants such as Carex, Mat Rush and Tussock Grass make for a no fuss, low and tidy native garden.



Natural Bush Style You can also complement existing native trees by planting local native shrubs and ground covers.



Colourful Gardens

If you like colourful gardens, consider planting Waratah (1), Australian Indigo (2), Illawarra Flame tree (3), Pigface, Blue Flax-lily, False Sarsparilla, or Brush Cherry.

Low shrubs such as Coastal Rosemary, White Correa, Mintbush, Coastal Saltbush or Hop Goodenia are great if you want to create habitat but do not want to lose sunlight.

Vines and Climbers

Vines can be used to soften fences, brick walls and pergolas. They can also be used to add additional height to a fence for screening or habitat purposes.

Some of our local attractive vines include False Sarsparilla (4), Dusky Coral Pea (5), Jasmine Morinda (6), Golden Guinea Flower, and Wonga Wonga Vine.



Ground Covers

If there are sections of your garden you would rather not mow, such as between steps or garden edges, try using some local ground cover species such as; Pigface (7), Warrigal Spinach (8), Native Violet (9), or Kidney Weed (10).

Using areas of native ground covers in your garden is also a great way to create relief in the garden, and retain plenty of sunlight.



Grass or Mat Rush.





Edges

There are many local plants that can be effective at creating a soft edge to a garden.

Some of these are tussock forming plants such as Carex (12), Tussock Grass (14), Kangaroo

A fern edge could also be created with Jungle Brake (11), Gristle Fern or Maidenhair Fern. Blue Flax-lily (13) also creates a great edge with vibrant displays of purple berries.



Hedges and Screening

Plant	Short hedge (1-3m)	Tall hedge (3-6m)
White Correa (Correa alba)	0	
Coastal Rosemary (Westringia fruticosa)	Ø	
Lilly Pilly (Acmena smithii)	with pruning	0
Brush Cherry (Syzygium australe)	with pruning	Ø
Blueberry Ash (Elaeocarpus reticulatus)		0
Willow Hakea (Hakea salicifolia)		Ø
Hop Bush (Dodonaea viscosa)		Ø
Crimson Bottlebrush (Callistemon citrinus)	Ø	Ø
Coastal Tea Tree (Leptospermum laevigatum)		0
Grey Myrtle (Backhousia myrtifolia)		Ø
Red Flowered Paperbark (Melaleuca hypericifolia)	0	0

Multiple heiahts This example shows now species can be elected to achieve lavered effect with different heights.



Nixed species screenina Dense thickets of multiple species also make attractive nesting and shelter sites for small birds. trees can be used to create a screen.

Most shrubs and small

bushy habit.

used to form a screen.



Hedges or screening effects can be achieved by

or with one row of the same species. The table

are naturally suitable for hedging due to their

using a mixture of low and mid-story species.

to the left shows a selection of species that

To keep a hedge, you will need to prune at

least annually. If you just want to achieve a

natural screening effect without pruning, try

planting a mixture of species relatively densely

(approximately 1-1.5m apart). Most shrub and

small tree species listed in the guide can be

le species If you prefer a uniform look, use one sinale species and prune to keep a consistent height.

Recommended Plants

Average Height

Heights are estimates of average size of mature plants based on knowledge of the listed plants in cultivation, where they usually do not reach their maximum size. The sizes provided are a general guide only, as plant growth will ultimately be dependent upon the conditions in which it is planted.

Zones

The Illawarra has four distinctive planting zones. Find out in which zone you are located on page 7 of this guide.

Sunlight Preferences 🚩

If a recommended plant is known to have a preference for shade, partial shade or full sun, this is indicated by symbols.

Bush Food Plant 🔨

This indicates that the plant is known to be used as a food resource by Australian Aboriginals. Please exercise caution as some

For those residents seeking to minimise their bushfire risks, low fuel plants can help reduce the intensity of fire. In the right conditions any plant will burn – this guide provides a key to those species which have low flammability.

Low flammability is usually indicated by the following features:

- Smooth bark



parts of the plants may be poisonous. Please do your research before trying bush foods.

Low Fuel Plants

• High moisture or salt content in the leaves Low volatile oil content in the leaves

Tolerate Wet Areas 🏃

This symbol indicates that the plant can tolerate 'wet feet' for lengthy periods, or occasional waterlogging.

Plant Name	H _{eight}	D _{escription} Large epiphytic fern.	arpment Istal Plat	t/Foothin	Sunlig Platea	aht Prefe	Bush Food	Low Fuel A Plant	^{Nerate} Wet, Plant	Ar _{eas}
Bird's Nest Fern Asplenium australasicum	2m	Large epiphytic fern.	۲	۲					LOW	
Blue Flax-lily <i>Dianella caerulea</i>	0.8m	Sprays of purple flowers. Edible, blue-purple fruits.	۲	۲	۲	۲		~	LOW	
Carex Carex appressa	1m	Tussock forming, attractive grass-like sedge.	۲	۲						\$ 6
Crinum Lily Crinum pedunculatum	1.5m	Upright, large, herb with large clusters of white flowers.	۲	۲	۲				LOW	6 6
Dampiera Dampiera purpurea	1m	Perennial plant with mauve fan flowers.	۲	۲		۲	*			
Dune Fan Flower Scaevola calendulacea	0.4m	Prefers sandy or well drained soils. Blue, fan flowers.	۲	۲			*			
				Zoi	nes					

GROUND COVERS

Plant Name	'Height	Description Sprawling herb with	arpment stal Plai	Foothin	Sunlig Platea	Tht Prefe	Bush Food	Low Fuel	lerate Wet A	reas	
Fairy Fan Flower Scaevola aemula	0.5m	Sprawling herb with mauve blue fan shaped flowers.	۲				*				
Grey Tussock Grass Poa sieberiana	1m	Tufted perennial grass. Tolerates dry sites.		۲							
Gristle Fern Blechnum cartilagineum	0.8m	Robust, low growing fern.	۲	۲			*				11111111111111111111111111111111111111
Jungle Brake Pteris umbrosa	1m	Attractive glossy fern forming large colonies. Good for use as a border.			۲				LOW		
Kangaroo Grass Themeda australis	1.2m	Tufted grass. Bluish green, with purple and red tinges. Prefers clay soils.	۲	۲	۲		*	2			a state
Kidney Weed Dichondra repens	0.1m	Perennial herb, may be used as lawn alternative.			۲		*				
				Zor	205						

GROUND COVERS

Plant Name	H _{eight}	Description Vigorous ground	orpment stal Plai	Foothin	Sunlig Platea Is	Tht Prefe	^{Bush} Food	Low Fuel Plant	lerate Wet, Plant	Ar _{eas}
Lobelia Lobelia anceps [L. alata]	0.5m	Vigorous ground cover, preferring damp location in full sun.							LOW	
Maidenhair Fern Adiantum aethiopicum	0.4m	Delicate, low growing fern. Prefers sheltered sites.		۲	۲				LOW	
Mat Rush Lomandra longifolia	0.8m	Tufted perennial grasslike plant, with strap-like leaves.	۲				☀	~		
Native Violet Viola hederacea	0.1m	Flowers for most of the year. Forms dense mats in damp areas.		۲	۲		*		LOW	
Pigface Carpobrotus glaucescens	0.2m	Prostrate perennial with bright pink showy flowers.		۲			*	~	K LOW	
Stout Bamboo Grass Austrostipa ramosissima [Stipa ramosissima]	1.5m	Upright, branching grass.		۲						
				Zor	nes					

GROUND COVERS

A

Plant Name	H _{eight}	D _{escription}	arpment astal Plat	t/Foothin	Platea Ils	aht Prefe u	^{Bush} Food rences	Low Fuel Plant	Plerate Wet	Areas	
Striped Wallaby Grass Austrodanthonia var. racemosa	0.6m	Variable tufted perennial grass.		۲			*				
Tussock Grass Poa labillardieri var. labillardieri	1.2m	Tufted perennial grass with slender leaves. Prefers moist sites.	۲	۲						**	
Warrigal Spinach Tetragonia tetragonioides	0.2m	Prostrate, spreading edible plant.	۲	۲	۲				LOW		
Weeping Grass Microlaena stipoides	0.7m	Slender, tufted perennial grass.	۲	۲	۲		*		LOW		
				Zoi	nes						

GROUND COVERS



	Plant Name	H _{eight}	Description Spreading shrub with	arpment Istal Plai	y Foothin	Sunlig Platea	aht Prefe	Bush Food	To Low Fuel Plant	l ^{lerate} W _{et} Plant	Ar _{eas}
AT AL	Australian Indigo Indigofera australis	1.5m	Spreading shrub with showy pink/purple flowers.	۲	۲	۲	۲	*			
	Boobialla Myoporum boninense subsp. australis	3m	Bushy shrub, tolerates coastal exposure. Prefers well drained soils.	۲	۲			*	2	LOW	
	Brisbane Laurel Pittosporum revolutum	3m	Shrub with bushy brown-felted young stems. Showy orange fruit.		۲			*		LOW	
Sec.	Broad-leaved Hakea Hakea dactyloides	4m	Vigorous, rounded shrub with creamy white flowers.		۲		۲			LOW	
	Coast Beard-heath Leucopogon parviflorus	1.5m	Small shrub with fringed white flowers. Prefers sandy, coastal sites.	۲					~		
	Coastal Rosemary Westringia fruticosa	1.5m	Rounded shrub with grey foliage and white flowers. Very hardy.					*			
					Zoi	nes					
24								S			BS

Plant Name	Height	Description Low spreading plant,	arpmen astal Pla ine	t/Foothi ain	Sunlig Platec ills	Tht Pref.	^{Bush Food}	Low Fuel Dd Plant	Tolerate Wet Areas	
Coastal Saltbush Rhagodia candolleana	1m	Low spreading plant, bird attracting red berries. Hardy on the coast.					*	\$	LOW	The second
Coastal Tea-tree Leptospermum laevigatum	3m	White flowers in spring. Prefers sandy soils.					*			
Coastal Wattle Acacia longifolia var. sophorae	2m	Spreading shrub with yellow flower spikes.					*	~		
Common Tea-tree Leptospermum polygalifolium	2.5m	Shrub or tree with lemon-scented leaves.		۲		۲	*			
Daisy Bush Olearia viscidula	1.5m	Shrub with small white daisy flowers.					*			
Hop Goodenia Goodenia ovata	2m	Upright, ascending or prostrate shrub.			۲	۲	*			
				Zo	ones					

SHRUBS

Con Escarpon Sunlight Burg I on Tolers

Plant Name	H _{eight}	D _{escription} Bushy shrub, lemon	arpment Istal Plaine	t/Foothin	Sunlig Platea	aht p _{refe}	^{Bush} Food Prences	Low Fuel Plant	Plerate Wet, Plant	Ar _{eas}
Crimson Bottlebrush Callistemon citrinus	3m	Bushy shrub, lemon scented leaves. Profuse crimson flower spikes.	۲				☀	2		\$ 4
Cut-leaf Mintbush Prostanthera incisa	2m	Upright, openly branching, scented shrub.		۲	۲	۲	*		LOW	
Native Broom Viminaria juncea	3m	Slender shrub or small tree. Showy yellow flowers.		۲		۲	*		K LOW	\$ 6
Native Raspberry Rubus rosifolius	2m	Shrub with trailing stems and edible raspberry fruit.		۲	۲		*	~	LOW	
Orange Thorn Pittosporum multi- florum [Citriobatus pauciflorus]	2m	Dense, spiny, shrub with bright orange berries. Habitat for small birds.		۲	۲				K LOW	
Red Flowered Paperbark Melaleuca hypericifolia	3m	Dense, bushy shrub with red flowers. Tolerates severe coastal exposure.	۲	۲			*	~		
				Zor	nes					

Plant Name	H _{eight}	Description	Carpment astal Plai line	t/Foothin	Sunlig Platea	Tht Prefe	^{Bush} Food erences	Low Fuel	olerate Wet I Plant	^t Areas	
Red Spider Flower <i>Grevillea oleoides</i>	1.5m	Upright shrub, bright red flowers. Prefers well drained soils.						~	K LOW		
Red-fruited Saw Sedge Gahnia sieberiana	1.5m	Tufted, perennial sedge, bearing red fruit on long spikes.				۲		~		6 6	
Small Leaved Bleeding Heart Homalanthus stillingiifolius	1.5m	Small rounded shrub, with heart shaped leaves. Older leaves turn red.							LOW		
Sticky Hop Bush Dodonaea viscosa subsp. angustifolia	3m	Upright shrub with linear leaves. Fruit is green, turning purple.	۲	۲		۲	*				
Sydney Golden Wattle Acacia longifolia subsp. longifolia	3m	Upright or spreading shrub or tree.					*	~			
Toothed Daisy Bush Olearia tomentosa	0.6m	A small shrub with white daisy like flowers.									
				Zor	nes						

, Fa

SHRUBS SHRUBS

	Plant Name	Height	Description Upright shrub with	arpment astal Pla	t/Foothin	Sunlig Platea	aht p _{refe}	Bush Food	Low Fuel Plant	llerate Wet, Plant	Areas
	Waratah Telopea speciosissima	1.5m	Upright shrub with striking red flowers. Prefers well drained soils.					☀			
	Wedding Bush Ricinocarpos pinifolius	2m	Mass displays of white, showy flowers. Prefers sandy soils.	۲	۲		۲	∗			
- A	Whalebone Streblus brunonianus	6m	Small tree, bird attracting small fruit. Hardy on exposed sites.					*		LOW	

Zones


SHRUBS

Plant Name	H _{eight}	Description Attractive rounded	arpment astal Plai	'Foothill
White Correa Correa alba	1.5m	Attractive rounded shrub with attractive white flowers in winter.		
Willow Hakea Hakea salicifolia	8m	Small tree, fast growing screen plant.		۲
Yellow Elderberry Sambucus australasica	4m	Attractive tall shrub, prefers sheltered sites.		۲
				Zon

SHRUBS

28





Zones




	Plant Name	H _{eight}	Description Bushy shrub to small	arpment Istal Plat	t/Foothin	Sunlig Platea	aht Prefe	Bush Food	To Low Fuel I Plant	lerate Wet, Plant	Ar _{eas}
	Acronychia Acronychia oblongifolia	8m	Bushy shrub to small tree.		۲	۲			2	K LOW	
	Black Plum Diospyros australis	10m	Small rainforest tree with fleshy black fruits.	۲	۲	۲		*	4	LOW	
	Black She-oak Allocasuarina littoralis	6m	Small tree, prefers sandy, poor soils.		۲		۲	*			
	Black Wattle Callicoma serratifolia	8m	Tall shrub or small tree. Wattle-like cream flowers.		۲	۲	۲	*		LOW	
	Blueberry Ash Elaeocarpus reticulatus	4m	Attractive blue fruit, and showy white, fringed flowers.		۲		۲		~	K LOW	
	Boobiallla Myoporum acuminatum	4m	Attractive corky bark when mature. Tolerates coastal sites.	۲	۲			*	4	LOW	
50				(Zoi						EC
30							$f \lambda$	11			

Brush Cherry Syzygium australe8mDense, bushy, striking crimson edible fruit in summer.Brush Muttonwood Myrsine howittiana [Rapanea]8mShrub or small tree. Rusty, hairy new growth.Cheese Tree Glochidion ferdinandi8mBushy habit. Interesting cheese shaped fruit.Coast Banksia Banksia integrifolia8mBird attracting yellow flowers. Hardy on the coast. Edible nectar.Grey Myrtle Backhousia myrtifolia8mBushy shrub or small tree. Scented leaves, long flowering period.Guioa Guioa semiglauca8mAttractive small tree with panicles of white flowers. Bird attracting flowers. Bird attracting	Average, Plant Name	Height	Esc. Coastal Fronth Description	arpment Istal Plai	Foothin	Su Pla Is
Muttonwood Myrsine howittiana [Rapanea]Rusty, hairy new growth.Cheese Tree Glochidion ferdinandi8mBushy habit. Interesting cheese shaped fruit.Coast Banksia Banksia integrifolia8mBird attracting yellow flowers. Hardy on the coast. Edible nectar.Grey Myrtle Backhousia myrtifolia8mBushy shrub or small tree. Scented leaves, long flowering period.Guioa Guioa semiglauca8mAttractive small tree with panicles of white flowers. Bird attracting	Brush Cherry		Dense, bushy, striking crimson edible fruit in		۲	(
Glochidion ferdinandiInteresting cheese shaped fruit.Coast Banksia Banksia integrifolia8mBird attracting yellow flowers. Hardy on the coast. Edible nectar.Grey Myrtle Backhousia myrtifolia8mBushy shrub or small tree. Scented leaves, long flowering period.Guioa Guioa semiglauca8mAttractive small tree with panicles of white flowers. Bird attracting	Muttonwood Myrsine howittiana	8m	Rusty, hairy new	۲	۲	
Banksia integrifoliaSinceFlowers. Hardy on the coast. Edible nectar.Grey Myrtle Backhousia myrtifolia8mBushy shrub or small 	Glochidion	8m	Interesting cheese			(
Backhousia myrtifoliatree. Scented leaves, long flowering period.Guioa Guioa semiglauca8mAttractive small tree with panicles of white flowers. Bird attracting		8m	flowers. Hardy on the	۲	۲	
Guioa semiglauca with panicles of white flowers. Bird attracting	Backhousia	8m	tree. Scented leaves,			(
		8m	with panicles of white flowers. Bird attracting			
					Zon	nes

SMALL TREES

sunlight Preferences Tolerate Wet Areas Bush Food Plant Low Fuel Plant




Plant Name	H _{eight}	Description Glossy leaves with	Carpment astal Plat	t/Foothi	Sunlig Plated	aht Prefe	Bush Food	Low Fuel Plant	lle _{rate} W _{et}	Ar _{eas}
Lilly Pilly Acmena smithii	8m	Glossy leaves with red autumn growth, cream flower masses in summer.		۲	۲		*	~	LOW	
Native Quince Alectryon subcinereus	8m	Small tree. Attractive black and red fruit.		۲	۲		∗	4	LOW	
Christmas Bush Ceratopetalum gummiferum	4m	Decorative tree or shrub with mass displays of red sepals at Christmas time.		۲					LOW	
Old Man Banksia Banksia serrata	6m	Gnarled, twisted branches. Gold flower spikes in summer.	۲	۲		۲	*	~		
Red Olive Plum Elaeodendron australe [Cassine australis]	6m	Shrub or small tree to 8m high. Attractive, bright orange-red fleshy fruit.		۲	۲		*		LOW	
				Zoi	nes					

Plant Name	H _{eight}	Coastal Fronth	arpment Istal Plai ne	Foothin	Pla
Rough Tree-fern Cyathea australis	8m	A rough barked tree- fern, growing tall with maturity.		۲	
Sandpaper Fig Ficus coronata	6m	Small tree with sandpaper-like leaves. Edible fruit.	۲	۲	
Snow in Summer <i>Melaleuca</i> <i>linariifolia</i>	8m	White papery bark. Abundant showy white flowers in summer. Hardy.		۲	
Water Gum Tristaniopsis laurina	6m	Attractive spotted bark, glossy leaves and yellow flowers.	۲	۲	
Willow Bottlebrush Callistemon salignus	8m	Dense shrub or small tree with papery bark, young growth is pink.		۲	
				Zoi	nes

SMALL TREES

SMALL TREES







	Plant Name	H _{eight}	Description Rough barked tree.	arpment astal Plai	t/Foothin	Sunlight Plateau	Prefe	^B ush Food ^{rences}	To, Low Fuel Plant	^{lerate} Wet, Plant	Ar _{eas}
	Bangalay Eucalyptus botryoides	12m	Rough barked tree. Tolerates saline soils on the coast.		۲			*			
TANK A	Bangalow Palm Archontophoenix cunninghamiana	10m	Fast growing palm, large bunches of lilac flowers followed by red fruit.	۲	۲	۲		*		LOW	6 6
States -	Blackwood Acacia melanoxylon	10m	Long lived tree preferring rich, moist soils. Pale yellow flowers.		۲	۲			~	K LOW	
	Cabbage Tree Palm Livistona australis	10m	Rainforest palm, with fan like leaves.		۲	۲		*	~	LOW	\$ 6
	Celery Wood Polyscias elegans	8m	Rainforest tree, palm like habit. Tiny flowers in large spray.		۲	۲				K LOW	
	Coachwood Ceratopetalum apetalum	10m	Rainforest tree. Large clusters of white flowers and red new growth.		۲	۲		*		LOW	
					Zoi	nes					
34											ES

Plant Name	Height	Coastal Frontin Description	arpment Istal Plai	yFoothin in	Sunlight p Plateau	^{Bush} Food	Low Fuer
Forest Oak Allocasuarina torulosa	10m	Slender, graceful tree with weeping branchlets.		۲	۲	*	
Illawarra Flame Tree Brachychiton acerifolius	12m	Deciduous tree with brilliant masses of red flowers in spring.		۲	۲	*	~
Maidens Wattle Acacia maidenii	8m	Small tree to 12m. Long, cream flowers. Fine, narrow leaves.				*	~
Pencil Cedar Polyscias murrayi	12m	Attractive slender tree, forming an umbrella shaped canopy when mature.		۲	۲		
Plum Pine Podocarpus elatus	12m	Attractive yellow- green new growth. Edible bluish-black fruits.		۲	۲		~
Prickly Paperbark Melaleuca styphelioides	12m	Hardy tree with papery bark. Tolerates wet soils.	۲	۲	۲	*	4

TREES

Tolerate Wet Areas Bush Food Plant Low Fuel Plant









LOW









Zones

	Plant Name	H _{eight}	Description Shiny, green leaves,	arpmeni astal Plat	t/Foothin	Sunlight Plateau	Bush Preferences	Low Fue	olerate Wet, I Plant	Areas
	Red Ash Alphitonia excelsa	10m	Shiny, green leaves, silver underneath. Profuse, cream flowers.		۲	۲	-	ŧ		
Y	Red Cedar Toona ciliata [T. australis]	15m	Deciduous, medium sized tree in cultivation. New pink growth in spring.	۲	۲	۲	¥	< l	LOW	
X	Sassafras Doryphora sassafras	12m	Medium sized rainforest tree. Scented, glossy green foliage.		۲	۲	¥	<	LOW	
X	Scrub Beefwood Stenocarpus salignus	8m	Hardy rainforest tree with bushy habit. Sweet scented white flowers.		۲	۲	¥	٢.		
	Swamp Mahogany Eucalyptus robusta	12m	Dark furrowed bark. Prefers wet, swampy conditions, on sandy soils.	۲						6 6
	Swamp Oak Casuarina glauca	12m	Hardy tree. Tolerates saline soils, very hardy.				÷	ŧ		6 6
					Zor	nes				
6										LS

Plant Name	e Height	Description	arpment astal Platine	*/Foothin	Pla
Two Veined Hickory <i>Acacia binervata</i>	10m	Hardy, fast growing tree. Pale yellow flowers.			
Woollybutt Eucalyptus Iongifolia	15m	Medium sized tree, preferring clay soils.		۲	
				Zor	nes

You can also use the Illawarra Bushland Database to find out what other local native plants are growing in your area at www.southerncouncils.nsw.gov.au Here you can search by suburb, maps, or location to find flora survey information for bushland in your neighbourhood.

....










	Plant Name	H _{eight}	Description Elaky black bark on	arpment astal Plai	Foothin	Sunlig Platea	aht Prefe	Bush Food	Low Fuel Plant	^{llerate} Wet, Plant	Ar _{eas}
	Blackbutt Eucalyptus pilularis	20m	Flaky black bark on the bottom of trunk, with white upper limbs.		۲			*			
	Blue Gum - Bangalay hybrid Eucalyptus saligna x E. botryoides hybrid	20m	Rough collar at base of trunk with smooth barked, white upper limbs.		۲	۲		*			
	Coast Grey Box Eucalyptus bosistoana	20m	Bark rough at base, becoming smooth higher up. Prefers clay soils.		۲			∗			
See 1	Forest Red Gum Eucalyptus tereticornis	20m	Attractive, smooth grey - white bark. Prefers clay soils.	۲	۲			*			
	Grey Ironbark Eucalyptus paniculata	20m	Deeply furrowed grey/ black bark. Attractive clusters of white flowers.		۲	۲		*			
	Port Jackson Fig Ficus rubiginosa	30m	Spreading large tree, leaves rusty below.		۲	۲			2	LOW	
					Zoi	nes					

LARGETREES

Plant Name	H _{eight}	Description Madium sized to large	arpment astal Plan	Foothin	Pla
Small Leaved Fig Ficus obliqua	30m	Medium-sized to large strangling tree.			
Thin-leaved Stringybark Eucalyptus eugenioides	20m	Attractive brown stringy bark, prefers clay soils.		۲	
White Topped Box Eucalyptus quadrangulata	20m	Grey, box bark. Common on the Escarpment south from Bulli.			
				Zor	201



LARGETREES



Large trees are recommended for large or rural properties only. They are only recommended where they can be planted away from any structures or property boundaries.


	Plant Name	Height	Description Climbing or prostrate	arpment Istal Plaine	Foothil	Sunlig Platea	aht Prefe	Bush Food	To Low Fuel Plant	lerate Wet, Plant	Ar _{eas}
	Dusky Coral Pea Kennedia rubicunda		Climbing or prostrate herb with red pea flowers.	۲			۲	*			
	False Sarsparilla Hardenbergia violacea		Showy purple flowers with long flowering period.	۲	۲	۲	۲	*		LOW	
	Golden Guinea Flower Hibbertia scandens		Climber or prostrate vine with large yellow flowers.			۲		*		LOW	
	Jasmine Morinda Morinda jasminoides		Attractive, glossy climber, bearing orange berries.		۲	۲		*		LOW	
C D	Kangaroo Grape Cissus antarctica		Fast growing, glossy green climber. Edible black grape like fruit.			۲			~	LOW	
	Old Man's Beard Clematis aristata		Vigorous climber with showy white flowers.	۲	۲	۲		*		LOW	
					Zor	nes					

Plant Name	Height	Esce Coastal Frontin Description	arpment Istal Plai	Foothill	S Pl. Is
Headache Vine Clematis glycinoides		Woody climber with masses of white flowers, sometimes becoming purple.			
Twining Guinea Flower Hibbertia dentata		Twiner with large, yellow flowers.	۲		
Wombat Berry Eustrephus latifolius		Vine with orange, fleshy berries.			
Wonga Wonga Vine Pandorea pandorana		Vigorous, glossy climber. Masses of white tubular flowers with purple spots.	۲	۲	
				7or	าคร

VINES & CLIMBERS

VINES & CLIMBERS

· Vlerate Wet Areas "Ight Preferences Bush Food Plant Low Fuel Plant



Resources

Where to Find Local **Native Plants?**

The local native plants listed in this guide are those which are most readily available. Not all nurseries will have all of the species listed, all of the time. Ask your local nursery to source the plants if you are unable to find them.

The nurseries listed here provide locally propagated, local native plants.

Wollongong Botanic Garden Nursery - Greenplan

Plants can be purchased from the Botanic Garden nursery, on Northfields Avenue, Keiraville, on the third Friday of every month from 7.30am until 2.30pm (except public holidays). Available to Wollongong City Council ratepayers.

www.wollongong.nsw.gov.au/botanicgarden Call 4227 7111 for enquiries.

Shellharbour City Council Wholesale Nursery

Located at 132 Industrial Road, Oak Flats and open to the public (not restricted to Shellharbour ratepayers) from 7:30am until 3:45pm Monday to Friday (except public holidays). The nursery is able to order in stock if you cannot find what you need in the nursery.

Call 4221 6191 for enquiries.

There are also other nurseries in the Illawarra and southern Sydney which sell native plants.

References

Birds Australia (2001) Guidelines for the development of bird habitat, for domestic gardeners. Retrieved from www.birdsinbackyards.net

Botanic Gardens Trust (15/7/2011) Growing Native Plants in Svdnev. Retrieved from www.rbgsyd.nsw.gov.au

Fuller, L (1995) Wollongong's Native Trees. Published by Kingsclear Books.

Wrigley, J.W. and Fagg, M. (1997) Australian Native Plants. Propagation, cultivation and use in landscaping. Fourth edition. Reed Books.

Isaacs, J. (1987) Bush Food, Aboriginal Food and Herbal Medicine. Weldons Ptv Ltd.

Land for Wildlife (2003) Nest Boxes for native wildlife. Land for Wildlife Note 19. Retrieved from www.sustainablebluemountains.net.au

Lowe, T. (1991) Wild Food Plants of Australia. Harper Collins Publishers.

Web Resources

Australian Native Plant Society. For guidance on growing native plants. http://anpsa.org.au

Bush Foods of NSW. A botanic record and an Aboriginal oral history. www.rbgsyd.nsw.gov.au

Birds in Backvards – Birds Australia. Resources for creating bird habitat. www.birdsinbackvards.net

Grow Me Instead: A Guide for Gardeners on the NSW South Coast. www.esc.nsw.gov.au/weeds/

Common Coastal Weeds of the Illawarra - A Guide to Management and Control. Available from Southern Rivers Catchment Management Authority. or online at www.southern.cma.nsw.gov.au

South Coast Weeds. www.esc.nsw.gov.au/weeds

Frogs Australia Network. www.frogsaustralia.net.au

Books

Kimberley Publications.

Clyne, D. (2011) Attracting Butterflies to Your Garden. New Holland Publishers.

New Holland.

Elliot, R. (1994) Attracting Wildlife to Your Garden, Lothian.

Fairley, A. and Moore, P. (2010) Plants of Sydney Region. Allen & Unwin.

Franks, A. and Franks, S. (2003) Nest Boxes for Wildlife: a Practical Guide. Bloomings Books.

Grant, P. (2003) Habitat Garden: Attracting Wildlife to Your Garden. ABC Books.

Grant, J. et al. (1997) The Nestbox Book. Gould League of Vic.

Pizzey, G. (2000) The Australian Bird-Garden. Creating Havens for Native Birds. Angus & Robertson.



Casev, K. (1996) Attracting Frogs to Your Garden: Creating An Ideal Habitat for Native Frogs in your own Backvard.

Dengate, J. (2009) Attracting Birds to Your Garden in Australia.

How you can Assist in Protecting Local Native Flora and Fauna

- Plant local native plants in your garden as much as possible
- Remove environmental and noxious weeds from your garden
- Don't feed native wildlife
- Don't dump garden weeds in the bush or on road edges

- Keep your cat indoors at night
- Don't leave pet food outdoors
- Become a Bushcare or Landcare volunteer
- Compost your garden waste at home
- Prune off spent flowers on potential weeds before they set seed



Inspired?! This booklet has a companion - check out the GROW LOCAL: Illawarra Edible Garden Guide, also available through Kiama, Shellharbour and Wollongong Councils.